



1 dB Fixed Attenuator, 7/16 DIN Male To 7/16 DIN  
Female Rated To 10 Watts Up To 7.5 GHz

TECHNICAL DATA SHEET

PE7040-1

**1 dB Fixed Attenuator, 7/16 DIN Male To 7/16 DIN Female Rated To 10 Watts Up To 7.5 GHz**

**Configuration**

Design	Fixed, Bidirectional Attenuator
Connector 1	7/16 DIN Male
Connector 2	7/16 DIN Female

**Electrical Specifications**

Frequency Range, GHz	DC to 7.5
Impedance, Ohms	50
Attenuation Value, dB	1
Maximum Input Power, Watts	10
Maximum VSWR	1.45:1

**Frequency 1**

Range, GHz	DC to 4
VSWR	1.25:1
Attenuation Accuracy, dB	± 0.6

**Frequency 2**

Range, GHz	4 to 7.5
VSWR	1.45:1
Attenuation Accuracy, dB	± 0.6

**Mechanical Specifications**

**Size**

Length, in [mm]	3.48 [88.39]
Width, in [mm]	1.25 [31.75]

**Connector 1**

Type	7/16 DIN Male
Hex Size, in.	1 1/4
Torque, ft-lbs [Nm]	18.417 [24.97]

**Connector 2**

Type	7/16 DIN Female
------	-----------------

**Compliance Certifications** (visit [www.Pasternack.com](http://www.Pasternack.com) for current document)

RoHS Compliant	Yes
----------------	-----

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [1 dB Fixed Attenuator, 7/16 DIN Male To 7/16 DIN Female Rated To 10 Watts Up To 7.5 GHz PE7040-1](#)

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.



1 dB Fixed Attenuator, 7/16 DIN Male To 7/16 DIN  
Female Rated To 10 Watts Up To 7.5 GHz

TECHNICAL DATA SHEET

PE7040-1

**Plotted and Other Data**

Notes:

Values at 25 °C, sea level

1 dB Fixed Attenuator, 7/16 DIN Male To 7/16 DIN Female Rated To 10 Watts Up To 7.5 GHz from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and fiber optic products maintain a 99% availability and are part of the broadest selection in the industry.

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [1 dB Fixed Attenuator, 7/16 DIN Male To 7/16 DIN Female Rated To 10 Watts Up To 7.5 GHz PE7040-1](http://www.pasternack.com/1db-fixed-7-16-male-7-16-female-10-watts-attenuator-pe7040-1-p.aspx)



URL: <http://www.pasternack.com/1db-fixed-7-16-male-7-16-female-10-watts-attenuator-pe7040-1-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal.

# PE7040-1 CAD Drawing

1 dB Fixed Attenuator, 7/16 DIN Male To 7/16 DIN  
Female Rated To 10 Watts Up To 7.5 GHz

P/N	ATTEN.	FIGURE
PE7040-1	1 dB	1
PE7040-2	2 dB	1
PE7040-3	3 dB	1
PE7040-6	6 dB	1
PE7040-10	10 dB	1
PE7040-20	20 dB	1
PE7040-30	30 dB	2
PE7040-40	40 dB	2



7/16 DIN FEMALE

FIGURE 2

7/16 DIN MALE

NOTES:  
1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.  
2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.  
3. DIMENSIONS ARE IN INCHES [mm].

DWG TITLE

**PE7040**

**PE PASTERNAK®**  
Pasternack Enterprises, Inc.  
P.O. Box 16759 | Irvine | CA | 92623

Phone: (949) 261-1920 | Fax: (949) 261-7451  
Website: www.pasternack.com | E-Mail: sales@pasternack.com

FSCM NO. 53919

CAD FILE 032713-A

SCALE N/A

SIZE A

2233