


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



**SPECIFICATIONS**

Frequency Range: 17.7–18.2 GHz  
 Gain: 15dB Min.  
 Gain Flatness: ±1.0dB Max.  
 VSWR In/Out: 1.50:1 Max.  
 DC Power Voltage: +12 Vdc  
 DC Power Amps: 4.5

MATERIAL:			MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM		SCALE:	N/A
			UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.01 ±.005 ANGLE: ±1/2°	DRAWING TITLE:		SHEET:
			PART NO.		RF AMPLIFIER	
			CAGE CODE:		SIZE:	REV:
DRAWN:	DATE:	PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)	OD2L5		A	N/A
APPROVED:	DATE:		DO NOT SCALE THE DRAWING		DWG NO.	
Paiboon Luekhamhan	01-29-2009				84078	
T. Nguyen	01-29-2009					

