


REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED



SPECIFICATIONS

Frequency Range: 1.2–1.4 GHz
 Insertion Loss: 1.9dB Max.
 Isolation: 17dB Min.
 VSWR In/Out: 1.45:1/1.35:1 Max.
 Amplitude Balance: ±1.2dB Max.
 Input Power: 10W (Load vswr @ 1.2)

MATERIAL:			MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM		SCALE:	N/A	
					SHEET:	N/A	
		UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.01 ±.005 ANGLE: ±1/2°		DRAWING TITLE:			5-WAY POWER DIVIDER
		PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)		PART NO.			PS5-38
DRAWN: Paiboon Luekhamhan	DATE: 03-21-1998	CAGE CODE: OD2L5		SIZE: A	REV: N/A	DWG NO. 81015	
APPROVED: T. Nguyen	DATE: 03-21-1998	THIRD ANGLE PROJECTION 		DO NOT SCALE THE DRAWING			