



REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED

SPECIFICATIONS

Frequency Range: 2–100 MHz
 Isolation: 25dB Min.
 VSWR: 1.40:1 Max.
 Insertion Loss: 1.5dB Max.
 Amplitude Balance: ±0.2dB Max.
 Phase Balance: ±4 Deg. Max.
 Input Power: 1 Watt Max.

MATERIAL:		MCLI MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 544-6254 FAX: (727) 381-6116 http://www.mcli.com	SCALE: N/A
UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR (mm) (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ± 0.01 ± 0.005 ANGLE: ± 1/2°			DRAWING TITLE: 12-WAY POWER DIVIDER
DRAWN: Polboon Iuehamban		DATE: 05-28-2008	PART NO.: PL12-1/BNC
APPROVED: T. Nguyen		DATE: 05-28-2008	CAGE CODE: 0D2L5
<small>THE INFORMATION ON THIS DRAWING IS PROPERTY OF MCLI AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI).</small>		SIZE: N/A	REV: N/A
		DWG NO.: 80567	