


SMA MALE PART NUMBER	SMA FEMALE PART NUMBER	FREQUENCY RANGE (GHz)	VSWR MAX.	POWER HANDLING
TSM-8	TSF-8	DC-8	1.20:1	15 WATTS
TSM-9	TSF-9	DC-12	1.25:1	15 WATTS
TSM-10	TSF-10	DC-18	1.30:1	15 WATTS

REVISIONS				
ZONE	REV	DESCRIPTION	Date	APPROVED



MATERIAL:		<b>MCLI</b> MICROWAVE COMMUNICATIONS LABORATORIES INC. 7255 30TH AVE. N. SAINT PETERSBURG, FL 33710 TEL: (727) 344-6254 FAX: (727) 381-6116 http://WWW.MCLI.COM	SCALE:	N/A
			SHEET:	N/A
UNLESS OTHERWISE SPECIFIED: TOLERANCES IN (INCHES) OR [mm] (MILLIMETERS) FRACTIONS: ± 1/64 DECIMALS: ±.02 ±.008 ANGLE: ±1/2°		DRAWING TITLE: <b>COAXIAL TERMINATION</b>		
DRAWN: Paiboon Luekhamhan		PART NO. <b>TS15W</b>		
DATE: 10-05-1999		CAGE CODE: OD2L5		
APPROVED: T. Nguyen		SIZE: A		REV: N/A
DATE: 10-05-1999		DWG NO. 81470		DO NOT SCALE THE DRAWING
<small>PROPRIETARY NOTICE: THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT WRITTEN PERMISSION FROM MICROWAVE COMMUNICATIONS LABORATORIES INC. (MCLI)</small>				