


DWG NO.	0L-0910-88-1		REV.	A
PART NUMBER	BODY	CONTACT		
0910-88-AG	ALBALOY	GOLD		

PLATING PER SAN-TRON SPEC. 7.3.1-8

- 1.0 PERFORMANCE: (sea level)
- 1.1 FREQUENCY RANGE DC-6.0 GHz
- 1.2 SYSTEM IMPEDANCE 50 OHMS
- 1.3 DWV: 1000Vrms @ 60 Hz
- 1.4 VOLTAGE RATING: 335Vrms
- 1.5 TEMP RANGE: -65 / +80 °C

- 2.0 MATERIALS
- 2.1 CONTACT: BeCu
- 2.2 BODY: BRASS
- 2.3 INSULATOR: PTFE
- 3.0 FINISHES: (SEE TABLE)

- 4.0 MECHANICAL
- 4.1 CONTACT RETENTION 6 LBS AXIAL
- 4.2 DURABILITY: 500 CYCLES



DO NOT SCALE DRAWING

A	RELEASE	NEW	9/14/07	JTH	FSH		
1	PRELIMINARY: DO NOT MFG	NEW	8/3/07				
Rev.	Revisions	Disp.	Date	Dwn.	Appd.		
	Ref.: SK-	REMOVE ALL BURRS AND SHARP EDGES .005 MAX.					

THIS DRAWING CONTAINS CONFIDENTIAL INFORMATION PROPRIETARY TO SAN-TRON, INC. IT MUST NOT BE REPRODUCED OR DISCLOSED TO OTHERS OR USED IN ANY OTHER WAY, IN WHOLE OR PART EXCEPT AS AUTHORIZED IN WRITING BY SAN-TRON, INC.

UNLESS OTHERWISE SPECIFIED:
 ALL DIMENSIONS ARE IN INCHES.
 ALL DIMENSIONS ARE AFTER PLATING.
 .XXX= ±.005 ALL MACHINED SURFACES ³²/ MAX.
 .XX= ±.01 ANG.±1/2' FRACTIONAL= ±1/64

Ⓞ.004 MAX. TIR. ⊥ AXIS .001

THIRD ANGLE PROJECTION

DWN	FSH	8/3/07
CHKD	SJS	9/18/07
APPR	FSH	9/18/07

SAN-TRON, INC.
 4 NEWBURYPORT TPK. IPSWICH MA USA 01938
 TEL: 978 - 356 -1585 FAX: 978 - 356 -1573
 WWW. santron.com E MAIL: santron@santron.com

TITLE: ADAPTER 7/16 JACK / QMA JACK

MATERIAL: FINISH: SEE TABLE- ALLOW FOR .0002/.0004 PLATING

CAGE CODE: 50896 DWG NO. 0L-0910-88-1 REV. A

SCALE: X:X