




3rd ANGLE PROJECTION



DRAWING TO BE READ IN CONJUNCTION WITH BS 8888

MESL Microwave Ltd



LABEL EXAMPLE ONLY. SEE TABLE FOR TYPE No.

TYPE NUMBER	FREQUENCY (GHz.)	TYPICAL			-10°C to +65°C.		
		INSERTION LOSS (dB Max.)	RETURN LOSS (dB Min.)	ISOLATION (dB Min.)	INSERTION LOSS (dB Max.)	RETURN LOSS (dB Min.)	ISOLATION (dB Min.)
CD 10643	5.6 - 6.4	0.3	23	23	0.4	20	20
CD 10644	6.4 - 7.2	0.3	23	23	0.4	20	20
CD 10645	7.2 - 8.0	0.3	23	23	0.4	20	20
XD 10660	6.0 - 12.0	0.4	20	20	0.5	18	18
XD 10661	8.0 - 16.0	0.6	16	16	0.7	14	14
XD 10662	8.0 - 9.6	0.3	23	23	0.4	20	20
XD 10663	9.6 - 11.2	0.3	23	23	0.4	20	20
XD 10664	12.2 - 12.8	0.3	23	23	0.4	20	20
JD 10680	7.5 - 18.0	0.7	16	16	0.8	15	15
JD 10681	12.0 - 14.0	0.4	23	23	0.5	20	20
JD 10682	14.0 - 16.0	0.4	23	23	0.5	20	20
JD 10683	16.0 - 18.0	0.4	23	23	0.5	20	20

Q.A.
DATE
PROD.REL.
DATE
ENG.APP.
DATE

C	02.02.12	DRN VARIOUS
ISSUE	DATE	MOD NUMBER

NOTES : THIS UNIT IS RoHS COMPLIANT by DESIGN. LIGHTLY REMOVE ALL BURRS AND SHARP EDGES U.O.S.

THIS DRAWING IS MESL Microwave Ltd. PROPERTY. IT MAY NOT BE COPIED OR EXHIBITED WITHOUT WRITTEN PERMISSION.

A 3

MECH.ENG.	ORIGINAL SCALE 2:1	MATERIAL	SPECIFICATION	GENERAL TOLERANCE U.O.S. (ISO2768-FH) 0 - 6,0 : ±0,05 6,0 - 30,0 : ±0,1 30,0 - 120,0 : ±0,15 Angular Dim : ±0,5°	RESPONSIBLE AUTHORITY	SECURITY CLASSIFICATION
DATE	DO NOT SCALE PRINT					CONTRACTORS DRAWING NUMBER 10643 to 10683-000-OL
DRAWN AB.	MASS (kg): N/A DENSITY (g/cm ³): N/A	FINISH BODY / LID : SurTec 650 ChromiTA PLATES : BRIGHT NICKEL.	SPECIFICATION	FINISH TO BE 1.6 U.O.S. DIMENSION IN mm	TITLE 5.6-18GHz COAXIAL ISOLATOR OUTLINE TYPE No SEE TABLE	SERVICE DRAWING NUMBER SHEET No. 1 OFF 1