


DWG NO. OL-0410-09-1 REV. A

- 1.0 PERFORMANCE
 1.1 FREQUENCY RANGE: DC-6GHz
 1.2 VOLTAGE RATING: 1000V RMS (sea level)
 1.3 NOMINAL IMPEDANCE: 50 OHMS
 1.4 DWV: 2500 V RMS @ 60 Hz (sea level)
 1.5 TEMPERATURE RANGE: -65°C TO +165°C
 2.0 MATERIALS
 2.1 DIELECTRIC: TEFLON, ASTM-D-1710

- 2.2 CENTER CONTACT: BERYLLIUM COPPER, ASTM-B-196
 2.3 OTHER METAL PARTS: BRASS, ASTM-B-16
 3.0 FINISHES:
 3.1 CENTER CONTACT: SEE TABLE
 3.2 ALL OTHER METAL PARTS: SEE TABLE
 4.0 MECHANICAL
 4.1 INTERFACE IN ACCORDANCE WITH MIL-STD-348

PLATING VARIATIONS		
PART NUMBER	BODY	CONTACT
0410-09-NS	NICKEL	SILVER



DO NOT SCALE DRAWING

Rev.	Revisions	Diap.	Date	Dwn.	Appd.
A	ORIGINAL	NEW	01/14/04		

THIS DRAWING CONTAINS CONFIDENTIAL INFORMATION PROPRIETARY TO SAN-TRON INC. IT MUST NOT BE REPRODUCED OR DISCLOSED TO OTHERS OR USED IN ANY OTHER WAY, IN WHOLE OR PART EXCEPT AS AUTHORIZED IN WRITING BY SAN-TRON INCORPORATED.

UNLESS OTHERWISE SPECIFIED:
 ALL DIMENSIONS ARE IN INCHES.
 ALL DIMENSIONS ARE AFTER PLATING.
 .XXX = ±.005 ALL MACHINED SURFACES $\sqrt{}$ MAX.
 .XX = ±.01 ANG ±1/2° FRACTIONAL = ±1/64
 ◎.004 MAX. TIR

⊥	AXIS	.001
DWN	DT	01/14/04
CHKD	SJS	XX/XX/XX
APPR	FSH	XX/XX/XX

SAN-TRON, INC.
 4 NEWBURYPORT TPK. IPSWICH MA USA 01938
 TEL: 978-358-1585 FAX: 978-358-1673
 WWW.santron.com E MAIL: santron@santron.com

TITLE RIGHT ANGLE ADAPTER
 N(F) TO N(F)

MATERIAL:	SEE NOTE 2.0	FINISH:	SEE NOTE 3.0
CAGE CODE:	50896	DWG NO.	OL-0410-09-1
SCALE	X:X	REV.	A