



## Precision SMA Male to SMA Male Right Angle Adapter Mitered

### TECHNICAL DATA SHEET

PE91151

#### Configuration

Connector 1	SMA Male
Impedance 1	50 Ohms
Connector 2	SMA Male
Impedance 2	50 Ohms
Adapter Design	Precision
Body Style	Right Angle

#### Electrical Specifications

Frequency Range	DC to 27 GHz
Maximum VSWR	1.15:1
Maximum Insertion Loss, dB	0.25

#### Mechanical Specifications

##### Connector 1

Type	SMA Male
Inner Conductor Material and Plating	Beryllium Copper, Gold
Inner Conductor Plating Specification	MIL-G-45204
Coupling Nut Material and Plating	Passivated Stainless Steel
Coupling Nut Plating Specification	ASTM A380
Hex Size, Inch	5/16
Torque, in-lbs [Nm]	8 [0.9]
Body Material and Plating	Passivated Stainless Steel
Body Plating Specification	ASTM A380
Dielectric Type	PTFE

##### Connector 2

Type	SMA Male
Inner Conductor Material and Plating	Beryllium Copper, Gold
Inner Conductor Plating Specification	MIL-G-45204
Coupling Nut Material and Plating	Passivated Stainless Steel
Coupling Nut Plating Specification	ASTM A380
Hex Size, Inch	5/16
Torque, in-lbs [Nm]	8 [0.9]
Body Material and Plating	Passivated Stainless Steel
Body Plating Specification	ASTM A380
Dielectric Type	PTFE

#### Environmental Specifications

##### Temperature

Operating Range	-55 to +100 deg C
-----------------	-------------------

#### Compliance Certifications (visit [www.Pasternack.com](http://www.Pasternack.com) for current document)

RoHS Compliant

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Precision SMA Male to SMA Male Right Angle Adapter Mitered PE91151](#)



## Precision SMA Male to SMA Male Right Angle Adapter Mitered

### TECHNICAL DATA SHEET

PE91151

#### Plotted and Other Data

Notes:

- Values at +25 °C, sea level

Precision SMA Male to SMA Male Right Angle Adapter Mitered from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [Precision SMA Male to SMA Male Right Angle Adapter Mitered PE91151](#)

URL: <http://www.pasternack.com/sma-male-sma-male-right-angle-adapter-pe91151-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

# PE91151 CAD Drawing

## Precision SMA Male to SMA Male Right Angle Adapter Mitered



DWG TITLE

**PE91151**

NOTES:  
 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.  
 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.  
 3. DIMENSIONS ARE IN INCHES [mm].

FSCM NO. 53919

CAD FILE 020614

SCALE N/A

SIZE A

150

**(PE) PASTERNAK®**  
 THE ENGINEER'S RF SOURCE

Pasternack Enterprises, Inc.  
 P.O. Box 16759 | Irvine | CA | 92623  
 Phone: (949) 261-1920 | Fax: (949) 261-7451  
 Website: www.pasternack.com | E-Mail: sales@pasternack.com