



4.1/9.5 Mini DIN Male to 4.1/9.5 Mini DIN  
Male Adapter IP67 UnMated

TECHNICAL DATA SHEET

PE91231

**Configuration**

Connector 1	4.1/9.5 Mini DIN Male
Impedance 1	50 Ohms
Connector 2	4.1/9.5 Mini DIN Male
Impedance 2	50 Ohms
Adapter Design	Standard
Body Style	Straight

**Electrical Specifications**

Frequency Range	DC to 6 GHz
Maximum VSWR	1.3:1

**Frequency 1**

Frequency, GHz	DC to 3
VSWR	1.15:1
Return Loss, dB	23.1

**Frequency 2**

Frequency, GHz	3 to 4
VSWR	1.2:1
Return Loss, dB	20.8

**Mechanical Specifications**

**Size**

Length, in [mm]	1.917 [48.69]
-----------------	---------------

**Connector 1**

Type	4.1/9.5 Mini DIN Male
Inner Conductor Material and Plating	Brass, Silver
Coupling Nut Material and Plating	Brass, Tri-Metal
Body Material and Plating	Brass, Tri-Metal
Dielectric Type	PTFE

**Connector 2**

Type	4.1/9.5 Mini DIN Male
Inner Conductor Material and Plating	Brass, Silver
Coupling Nut Material and Plating	Brass, Tri-Metal
Body Material and Plating	Brass, Tri-Metal
Dielectric Type	PTFE

**Environmental Specifications**

**Temperature**

Operating Range	-55 to +120 deg C
-----------------	-------------------

Ingress Protection	IP67 UnMated
--------------------	--------------

Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [4.1/9.5 Mini DIN Male to 4.1/9.5 Mini DIN Male Adapter IP67 UnMated PE91231](#)



## 4.1/9.5 Mini DIN Male to 4.1/9.5 Mini DIN Male Adapter IP67 UnMated

### TECHNICAL DATA SHEET

PE91231

#### Compliance Certifications (visit [www.Pasternack.com](http://www.Pasternack.com) for current document)

RoHS Compliant

REACH Compliant

06/16/2014

#### Plotted and Other Data

Notes:

- Values at +25 °C, sea level

4.1/9.5 Mini DIN Male to 4.1/9.5 Mini DIN Male Adapter IP67 UnMated from Pasternack Enterprises has same day shipment for domestic and International orders. Our RF, microwave and millimeter wave products maintain a 99% availability and are part of the broadest selection in the industry.


Click the following link (or enter part number in "SEARCH" on website) to obtain additional part information including price, inventory and certifications: [4.1/9.5 Mini DIN Male to 4.1/9.5 Mini DIN Male Adapter IP67 UnMated PE91231](http://www.pasternack.com/4.1-9.5-mini-din-male-4.1-9.5-mini-din-male-straight-adapter-pe91231-p.aspx)

URL: <http://www.pasternack.com/4.1-9.5-mini-din-male-4.1-9.5-mini-din-male-straight-adapter-pe91231-p.aspx>

The information contained in this document is accurate to the best of our knowledge and representative of the part described herein. It may be necessary to make modifications to the part and/or the documentation of the part, in order to implement improvements. Pasternack reserves the right to make such changes as required. Unless otherwise stated, all specifications are nominal. Pasternack does not make any representation or warranty regarding the suitability of the part described herein for any particular purpose, and Pasternack does not assume any liability arising out of the use of any part or documentation.

# PE91231 CAD Drawing

4.1/9.5 Mini DIN Male to 4.1/9.5 Mini DIN Male Adapter IP67 UnMated



NOTES:  
 1. UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE NOMINAL.  
 2. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE AT ANY TIME.  
 3. DIMENSIONS ARE IN INCHES [mm].

DWG TITLE  
**PE91231**

FSCM NO. 53919

2233

SIZE A

SCALE N/A

CAD FILE 061314



**THE ENGINEER'S RF SOURCE**  
 Pasternack Enterprises, Inc.  
 P.O. Box 16759 | Irvine | CA | 92623

Phone: (949) 261-1920 | Fax: (949) 261-7451  
 Website: www.pasternack.com | E-Mail: sales@pasternack.com